

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 147 709 A1**

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
24.10.2001 Bulletin 2001/43

(51) Int Cl.7: **A23L 1/0522**, A23J 3/10,
A23J 3/16, A23J 3/14,
A23J 3/18, A23L 1/317,
A23L 1/314

(21) Application number: **00303242.2**

(22) Date of filing: **17.04.2000**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

- **Coco, Charles Edward**
St. Louis, Missouri 63108 (US)
- **Bates, Gregory A.**
Collinsville, Illinois 62234 (US)

(71) Applicant: **PROTEIN TECHNOLOGIES**
INTERNATIONAL, INC.
Saint Louis, Missouri 63164 (US)

(74) Representative: **Tubby, David George**
MARKS & CLERK,
57-60 Lincoln's Inn Fields
London WC2A 3LS (GB)

(72) Inventors:

- **Cho, Iue Chung**
St. Louis, Missouri 63128 (US)

(54) **Protein-starch composition and a meat emulsion containing the same**

(57) A low viscosity, high gel strength protein-starch composition is provided. The protein-starch composition contains a protein material and a starch material which are complexed together where the starch material is in a substantially non-gelatinised state. The protein-starch composition has a low viscosity prior to cooking, yet has a high gel strength after being cooked. A meat emulsion is also provided which contains a meat material and the protein-starch composition. A process is provided for forming the protein-starch composition in which an aqueous slurry of a protein material is formed,

the protein in the slurry is denatured by subjecting the slurry to temperatures sufficient to denature the protein, a starch material is mixed into the slurry of denatured protein, and the slurry of starch and protein material is spray dried under conditions which cause the protein material and starch material to complex without gelatinising the starch material. A process for forming a meat emulsion with the protein-starch composition is provided in which a meat material and the protein-starch composition are blended together under conditions insufficient to gelatinise the starch material in the protein-starch composition.

EP 1 147 709 A1

Description

[0001] The present invention relates to a low viscosity, high gel strength protein-starch composition, a meat emulsion containing the same, and a process for producing the protein-starch composition and meat emulsion. More particularly, the present invention relates to a protein-starch composition containing a complex of a protein material and a starch where the starch is substantially in its native nongelatinised conformation, and a meat emulsion containing the same.

[0002] Protein materials are widely used to supplement meat products since meat is more scarce world-wide, and much more expensive, than protein materials, which are relatively abundant. For example, soy protein materials such as soy isolates and soy concentrates are commonly used as meat analogues or as meat extenders. The protein materials may be used in several forms of meat products, for example, a protein material may be mixed with ground meat to form meat patties useful for hamburgers, meat loafs, or other minced meat applications, or a protein material may be mixed with meat and stuffed into casings to form frankfurters, sausages, or similar products.

[0003] Protein materials may be combined with plant components to reduce the cost of producing meat emulsions from the protein materials and to provide meat emulsions having improved meat-like characteristics. For example, wheat flour may be co-dried with a vegetable protein material such as soy protein isolate to form a composition useful as a meat extending component in a pet food emulsion which provides gel strength to the emulsion upon pasteurisation.

[0004] Carbohydrates from plant materials are commonly used with protein materials to provide desirable characteristics to the protein materials and meat emulsions containing such protein materials. Starch is a particularly useful carbohydrate for use in combination with protein materials since starch is abundant and can improve the texture and taste of meat emulsions formed with a supplemental protein material.

[0005] Meat emulsions containing a protein material blended with starch have improved moisture and fat absorbing characteristics, which lead to improved taste and tenderness upon cooking the meat emulsion. In a study comparing the moisture retaining capacity of soy protein and a filler material formed of cold-blended soy protein and starch, the filler material was found to have a higher moisture retaining capacity, and, therefore, was determined to be the preferred material for forming meat emulsions. I. Rogov & V. Dianova, Study of the Hygroscopic Properties of Meat and Meat Products, Myasnaya Industriya SSSR, No. 12, pp. 29-31 (1978).

[0006] Dry-blended or cold-blended protein and starch mixes, while providing desirable moisture and fat absorbing characteristics in a meat emulsion, provide relatively poor gel strength and emulsion stability to a meat emulsion even after the emulsion is cooked. Gel strength and emulsion stability are desirable in a meat emulsion so the meat emulsion has a firm meat-like texture with a stable protein and moisture level.

[0007] A starch-protein complex having an improved gel strength and emulsion stability is disclosed in U. S. Patent No. 4,159,982 to Hermansson. The starch-protein complex is formed by heating starch with an aqueous dispersion of casein at a temperature above the gelation temperature of the starch. The casein protein forms a complex with gelatinised starch granules. The degree of gel strength of the complex is greater than that of the casein itself and the emulsion stability of the protein is improved.

[0008] Gelatinisation of starch in the presence of protein to form a protein-starch complex, while improving the gel strength and emulsion stability of the protein, excessively increases the viscosity of the complex relative to a dry-blend of the protein and starch, as well as that of a meat emulsion material containing the complex relative to a meat emulsion containing a dry or cold-blended mixture of protein and starch.

[0009] Processing the high viscosity protein-starch complex into a meat emulsion, and processing the resulting high viscosity meat emulsion material is difficult and expensive on a commercial scale since the high viscosity materials do not flow easily.

[0010] What is needed, therefore, is a process for forming a low viscosity protein-starch composition and meat emulsion containing the same which have a high gel strength and emulsion stability upon being cooked.

[0011] The present invention is a protein-starch composition which has the advantage of having a relatively low viscosity in water compared with the prior art materials and yet which is capable of forming a firm gel upon cooking. The protein-starch composition contains a denatured protein material and a starch material. The protein material and the starch material are complexed, however, the starch material is in a substantially non-gelatinised state.

[0012] In one embodiment of the invention, at least some of the starch material of the protein-starch composition is partially encapsulated in the protein material.

[0013] In another aspect, the invention is a meat emulsion containing a protein-starch composition and a meat material which are blended together. The protein-starch composition is formed of a protein material and a starch material, where the protein material and the starch material are complexed and the starch material is in a substantially non-gelatinised state.

[0014] In yet another aspect, the invention is a process for forming a low viscosity protein-starch composition which has a high gel strength and emulsion stability upon being cooked. An aqueous slurry of a protein material is formed. The slurry of protein material is treated at a temperature and for a time effective to denature the protein material. A non-gelatinised starch material is then added to the slurry of denatured protein material at a slurry temperature below

the gelatinisation temperature of the starch material. The slurry of denatured protein material and starch material is spray-dried under conditions sufficient to substantially couple the protein material and the starch material yet insufficient to substantially gelatinise the starch material to form the protein-starch composition.

[0015] In still another aspect, the present invention is a process for forming a low viscosity meat emulsion which attains a high gel strength and emulsion stability upon cooking. A protein-starch composition is provided containing a starch material coupled to a protein material with the starch material being substantially in its native non-gelatinised conformation. An aqueous slurry is formed of the protein-starch composition, and the slurry is blended with a meat material to form a meat emulsion.

[0016] The protein-starch composition of the present invention has a low viscosity well suited for use in large scale commercial production of meat emulsions, yet has a gel strength and emulsion stability comparable to a gelatinised starch-protein complex once the composition is cooked. Prior to cooking the protein-starch composition of the invention, or a meat emulsion containing the composition, the starch of the protein-starch composition is coupled to the protein substantially in its native, non-gelatinised state. This substantially reduces the viscosity of the protein-starch composition relative to a gelatinised starch-protein complex since gelatinised starch is much more viscous than non-gelatinised starch. Upon cooking the protein-starch composition or a meat emulsion containing the protein-starch composition, the closely associated protein and starch further complex as the starch is gelatinised by the cooking temperature, thereby developing a high gel strength and emulsion stability relative to a dry or cold-blended mix of protein and starch.

[0017] FIG. 1 is a photograph of the protein-starch composition of the present invention depicting the non-gelatinised starch material encapsulated in the protein material.

[0018] As used herein, gelatinised starch is defined as starch which has become hydrated and swollen relative to its native state as a result of being treated at a temperature, pressure, or mechanical shear sufficient to disrupt the structure of the native starch. Gelatinised starch is more viscous in water than native, non-gelatinised starch since the swollen gelatinised starch granules frictionally interact and because some of the swollen starch granules rupture releasing amylose, which readily hydrogen bonds to form a gel. Non-gelatinised starch, as used herein, is defined as a starch in its native state which has not been gelatinised.

[0019] The protein material used in the process of the present invention to form the protein-starch composition should be capable of forming an emulsion with a meat material such as a ground meat or a minced meat, when the protein material and meat material are blended together in an aqueous mixture. The protein material, therefore, should not be protein material have an average associated molecular weight greater than 30,000 daltons, and more preferably greater than 100,000 daltons, and most preferably between about 100,000 and 360,000 daltons, to ensure that the protein material is not excessively soluble in water under neutral pH conditions.

[0020] The protein material used in the process of the present invention to form the protein-starch composition can be an animal protein material or a vegetable protein material. In one embodiment of the invention casein can be used as the protein material. Casein is prepared by coagulation of a curd from skim milk. The casein is coagulated by acid coagulation, natural souring, or rennet coagulation. To effect acid coagulation of casein a suitable acid, preferably hydrochloric acid, is added to milk to lower the pH of the milk to about the isoelectric point of the casein, preferably to a pH of about 4 to about 5, and most preferably to a pH of about 4.6 to about 4.8. To effect coagulation by natural souring milk is held in vats to ferment, causing lactic acid to form. The milk is fermented for a sufficient period of time to allow the formed lactic acid to coagulate a substantial portion of the casein in the milk. To effect coagulation of casein with rennet, sufficient rennet is added to the milk to precipitate a substantial portion of the casein in the milk. Acid coagulated, naturally soured, and rennet precipitated casein are all commercially available from numerous manufacturers or supply houses.

[0021] Preferably the protein material is a vegetable protein material since vegetable protein materials are inexpensive, abundant, and well suited for forming a protein-starch composition. Soy protein isolate, soy concentrate, or soy flour are the preferred vegetable protein materials used in the process for forming the protein-starch composition although the protein-starch composition may also be formed from other vegetable and plant protein sources such as peas, wheat, and rapeseed.

[0022] Soy flour, as that term is used herein, refers to a comminuted form of defatted soybean material, preferably containing less than 1% oil, formed of particles having a size such that the particles can pass through a No. 100 mesh (U. S. Standard) screen. The soybean material can be soy cake, chips, flakes, meal, or mixture of these materials, which are comminuted into a soy flour using conventional soy grinding processes. Soy flour has a soy protein content of about 40% to about 60%.

[0023] Soy concentrate, as the term is used herein, refers to a soy protein material containing about 60% to about 80% of soy protein. Soy concentrate is preferably formed from a commercially available defatted soy flake material from which the oil has been removed by solvent extraction. The soy concentrate is produced by washing the soy flake material with an aqueous solvent having a pH at about the isoelectric point of soy protein, preferably at a pH of about 4 to about 5, and most preferably at a pH of about 4.4 to about 4.6. The isoelectric wash removes a large amount of water soluble carbohydrates and other water soluble components from the flakes, but removes little of the protein,

thereby forming a soy concentrate which is dried after the isoelectric wash.

[0024] Soy protein isolate, as the term is used herein, refers to a soy protein material containing about 80% or greater protein content, preferably about 90% or greater protein content, and most preferably about 95% or greater protein content. In a most preferred embodiment of the invention, the protein material used in the process of the invention is a soy protein isolate due to the high protein content of soy protein isolate.

[0025] Soy protein isolate is preferably formed from a commercially available defatted soy flake material from which oil has been removed by solvent extraction. The soy flake material is extracted with an aqueous alkaline solution, typically a calcium hydroxide or a sodium hydroxide solution having a pH of about 6 to about 10, to form an extract containing protein and water soluble components of the soy flake material which is separated from the insoluble fibres and cellulosic materials of the flakes. The extract is then treated with an acid to lower the pH of the extract to about the isoelectric point of the protein, preferably to a pH of about 4 to about 5, and most preferably to a pH of about 4.4 to about 4.6, thereby precipitating the protein. The protein is then separated from the extract and dried using conventional separating and drying means to form the soy protein isolate.

[0026] The protein material may be a modified protein material, where the protein material is modified by known processes to improve the suitability of the protein material for use in a meat emulsion. For example, a preferred protein material is a modified soy protein isolate having improved whiteness, as described in U.S. Patent No. 4,309,344, which is incorporated herein by reference. The modified soy protein isolate of improved whiteness is prepared by heating an aqueous solution of precipitated soy protein isolate, present in about 20% to about 30% by weight of the solution, to a temperature of about 115°F to about 145°F for about 1 to about 300 seconds, followed by concentration of the precipitated protein to a solids level of above about 44%.

[0027] Soy protein isolates and modified soy protein isolates useful in the process of the invention are commercially available. Commercially available soy protein isolates that may be used in the invention include "Supro 500E", which is a modified soy protein isolate, and "Supro 515", both of which are available from Protein Technologies International, Checkerboard Square, St. Louis, Missouri. Hereafter, the process of forming the protein-starch composition of the present invention will be described with respect to a soy protein isolate, however, other protein materials may be used in a similar manner.

[0028] An aqueous slurry is formed of the soy protein isolate material. The aqueous slurry preferably contains about 2% to about 30% soy protein isolate by weight, and most preferably contains about 15% to about 20% of the soy protein isolate by weight. The soy protein isolate is thoroughly mixed in the slurry for a period of time sufficient to mix the slurry by stirring, agitating, or blending the slurry with any conventional means for stirring, agitating, or blending capable of mixing the protein slurry. Preferably the slurry is mixed for about 15 minutes to about 1 hour, and most preferably for about 30 minutes to about 45 minutes at ambient temperatures.

[0029] The slurry of soy protein material is treated to denature the protein material. The protein material is denatured to unfold the protein material so the protein-starch complex can be formed and to enhance the gel and emulsion forming properties of the protein material. The protein material can be thermally denatured by being treated at a temperature and for a time sufficient to denature the soy protein material. For example, the protein material may be denatured by treating the slurry at a temperature of about 75°C to about 160°C for a period of from about 2 seconds to about 2 hours.

[0030] The preferred method of denaturing the soy protein material is treating the protein material slurry at a temperature elevated above ambient temperatures by injecting pressurised steam into the slurry for a time sufficient to substantially denature the protein material, hereafter defined as "jet-cooking". Jet-cooking slurries of protein material to denature the protein material is well-known and conventional in the art. The following description is a preferred method of jet-cooking a soy protein material slurry, however, the invention is not limited to the described method and includes any known method of jet-cooking protein slurries.

[0031] A protein material slurry is introduced into a jet-cooker feed tank where the soy protein material is kept in suspension with a mixer which agitates the slurry. The protein material slurry is directed from the feed tank to a pump which forces the slurry through a reactor tube. Steam is injected into the soy protein material slurry under pressure as the slurry enters the reactor tube, instantly heating the slurry to the desired temperature. The temperature is controlled by adjusting the pressure of the injected steam, and preferably is from about 85°C to about 155°C, most preferably about 150°C. The slurry is treated at the elevated temperature for about 5 seconds to about 15 seconds, being treated longer at lower temperatures, with the treatment time being controlled by the flow rate of the slurry through the reactor tube. Preferably the flow rate is about 18.5 lbs./min., and the cook time is about 9 seconds.

[0032] After being heated to denature the protein material in the slurry, the slurry is cooled to a temperature below the gelatinisation temperature of the starch with which the protein material is to be combined. Cooling may be effected by conventional methods such as allowing the slurry to stand in ambient temperatures until the slurry has cooled, refrigerating the slurry, or placing the slurry in an ice bath.

[0033] In a preferred embodiment, after being jet-cooked the protein material slurry is discharged from the reactor tube of the jet-cooker into a vacuumised chamber to flash cool the slurry. The pressure of the slurry is instantly dropped to the pressure in the vacuumised chamber, which is preferably about 25 to about 30 mm Hg. The pressure drop

instantly cools the slurry to a temperature of about 30°C to about 60°C, and to about 55°C when the slurry is treated at a temperature of about 150°C in the jet-cooking process.

5 [0034] After the soy protein material slurry is denatured and cooled, a starch material is combined and mixed with the protein material slurry. It is important that the starch material be added to the protein material slurry only after the temperature of the protein material slurry is below the gelatinisation temperature of the starch material so that the starch material is not subjected to temperatures which would prematurely gelatinise the starch. Preferably the starch material is added to the protein material slurry when the temperature of the protein material slurry is about 25°C to about 45°C.

10 [0035] The starch material used to form the protein-starch composition is a naturally occurring starch. The starch material may be isolated from a variety of plants such as corn, wheat, potato, rice, arrowroot, and cassava by well-known, conventional methods. Starch materials useful in forming the protein-starch composition include the following commercially available starches: corn, wheat, potato, rice, high amylose corn, waxy maize, arrowroot, and tapioca. Although the starches vary in molecular structure, the starches have similar general functional properties, in particular, the capacity to couple with a protein material upon being co-spray dried with the protein material, and the capacity to
15 gelatinise upon being exposed to temperatures, pressure, or shear sufficient to induce gelatinisation.

[0036] Preferably the starch material used to form the protein-starch composition is a corn starch or a wheat starch, and most preferably is dent corn starch. A preferred dent corn starch is commercially available from A. E. Staley Mfg., Co. sold as Dent Corn Starch, Type IV, Pearl.

20 [0037] The starch material is preferred to be unmodified. Modified starches are defined herein as native starches which have been chemically or otherwise treated to form a starch derivative. Modified starches often have altered properties such as decreased gelling strength or raised gelation temperatures which are not desirable in the protein-starch composition of the invention. Although modified starches are generally not preferred for use in the present invention, modified starches can be used provided that the modification does not adversely affect the formation of the protein-starch composition and its viscosity, or the gelation and emulsion stability properties of a cooked meat emulsion
25 containing the protein-starch composition.

[0038] The amount of starch material added to the protein material slurry is selected to provide the desired ratio of protein material to starch material. The ratio of protein material to starch material in the slurry is a factor in the gel strength of the protein-starch composition formed from the slurry. Higher levels of starch can increase the gel strength of the protein-starch composition. In a preferred embodiment, the starch is added to the protein material slurry so that
30 the ratio of protein material to starch material in the slurry by dry weight is about 45:60 to about 80:20, and most preferably is about 50:50 to about 70:30.

[0039] The starch material may be added to the protein material slurry dry, or an aqueous slurry of the starch material may be formed and then added to the protein material slurry. Preferably, an aqueous slurry is formed of the starch material. The starch slurry preferably contains about 20% to about 40% by weight of the starch material, most preferably
35 about 30% to about 35% by weight of the starch material.

[0040] Should a slurry be formed of the starch material, the temperature of the starch material slurry must be maintained below the gelation temperature of the starch material, which is typically about 50°C to about 70°C, to prevent the starch material from gelatinising. Preferably the starch material is added to cold water and the slurry is maintained at ambient temperatures.

40 [0041] The starch material is mixed in the starch material slurry for a period of time sufficient to thoroughly mix the starch material in the slurry with any conventional means for stirring, agitating, or blending the slurry. Gentle agitation should be continued after the slurry is mixed to prevent the starch material from settling out. Care must be taken in mixing and agitating the starch material slurry not to subject the starch material to excessive mechanical shear so the starch material is not gelatinised.

45 [0042] Other materials may be added to the combined protein material and starch material slurry to add desired characteristics to the protein-starch composition formed from the slurry. For example, gums such as guar gum or other compounds such as trisodium phosphate, sodium tripolyphosphate, or sodium acid pyrophosphate may be added to modify the flow characteristics of the protein-starch composition.

50 [0043] The slurry containing the protein material and the starch material may be mixed by any conventional means for mixing, blending, or stirring slurries containing significant amounts of suspended solids. Preferably, the protein material and starch material are mixed in an agitating tank. The slurry should be thoroughly mixed until the slurry is a homogenous mixture of the protein material and starch material. Water may be added to the combined slurries to adjust the level of suspended solids in the combined slurries to a level which may be easily handled in a spray drying operation. Preferably the level of suspended solids in the combined slurries is about 5% to about 25% by weight, and more
55 preferably is from about 14% to about 17% by weight.

[0044] The combined slurry of starch material and protein material is then spray dried to form the protein-starch composition. The slurry is spray-dried under conditions which cause the protein material and the starch material to couple together and form a complex where the starch material remains substantially in its native non-gelatinised state.

As shown in Fig. 1, some of the starch material is at least partially encapsulated in protein when the protein material and starch material are spray dried together. Preferably a majority of the starch material is encapsulated in the protein material, and most preferably, substantially all of the starch material is encapsulated in the protein material.

[0045] The spray-dry conditions should be moderate to avoid gelatinising the starch, so the resulting protein-starch composition will have a low viscosity when rehydrated. Preferably the spray-dryer is a co-current flow dryer where hot inlet air and the protein-starch slurry, atomised by being injected into dryer under pressure through an atomiser, pass through the dryer in a co-current flow. The protein-starch composition formed by spray-drying the slurry in a co-current flow dryer is not subject to heat degradation or starch gelatinisation since the evaporation of water from the starch and protein materials cools the materials as they dry.

[0046] In a preferred embodiment, the slurry of protein and starch materials is injected into the dryer through a nozzle atomiser. Although a nozzle atomiser is preferred, other spray-dryer atomisers, such as a rotary atomiser, may be utilised. The slurry is injected into the dryer under enough pressure to atomise the slurry. Preferably the slurry is atomised under a pressure of about 3000 psig to about 4000 psig, and most preferably about 3500 psig.

[0047] Hot air is injected into the dryer through a hot air inlet located so the hot air entering the dryer flows co-currently with the atomised protein-starch mixture sprayed from the atomiser. The hot air has a temperature of about 550°F to about 600°F, and preferably has a temperature of about 555°F to about 570°F.

[0048] The protein-starch composition is collected from the spray dryer. Conventional means and methods of collecting spray-dried materials may be used to collect the protein-starch composition, including cyclones, bag filters, electrostatic precipitators, and gravity collection.

[0049] The collected protein-starch composition can be used to form a meat emulsion containing the protein-starch composition and a meat material. An aqueous mixture of the protein-starch composition and a meat material is formed and the protein-starch composition and meat material are ground or chopped together according to conventional methods for blending protein and meat materials to form the meat emulsion.

[0050] The meat material can be a meat useful for forming sausages, frankfurters, or other meat products formed by filling a casing with meat material, or can be a meat such as pork, chicken or beef useful in ground meat applications such as hamburgers, meat loaf, and minced meat products. Particularly useful meat materials include mechanically deboned meat from chicken, beef, and pork, pork trimmings, beef trimmings, and pork backfat.

[0051] The ratio of meat material and the protein-starch composition in the slurry is selected to provide a meat emulsion having meat-like characteristics. Preferably the protein-starch composition provides about 10% to about 20% of the total protein in the meat emulsion, most preferably about 10% to about 15%, and comprises about 2% to about 7% of the meat emulsion, including the water, by weight. Preferably the meat material comprises about 40% to about 60% of the meat emulsion by weight, and the water comprises about 30% to about 40% of the meat emulsion by weight.

[0052] The slurry of the protein-starch composition and meat material is blended thoroughly to form the meat emulsion. The slurry is blended by stirring, agitating, or mixing the slurry for a period of time sufficient to form a homogenous meat emulsion. Excessive shear and temperatures above the gelation temperature of the starch in the protein-starch composition should be avoided while blending the slurry so the starch in the protein-starch composition will not become gelatinised.

[0053] Conventional means for stirring, agitating, or mixing the slurry may be used to effect the blending. Preferred means for blending the meat emulsion are a cutter bowl which chops the materials in the slurry with a knife, and a mixer/emulsifier which grinds the materials in the slurry. A preferred cutter bowl is the Hobart Food Cutter Model No. 84142 with 1725 rpm shaft speed.

[0054] After the slurry has been blended to form a meat emulsion containing the protein-starch composition, the meat emulsion may be used to form meat products. The meat emulsion may be used to stuff meat casings to form sausages, frankfurters, and similar products. The meat emulsions may also be used to form ground meat products such as hamburgers, meat loaf, and other minced meat products.

[0055] A meat emulsion containing the protein-starch composition is relatively low in viscosity since aqueous mixtures containing the protein-starch composition are not particularly viscous. An aqueous slurry of a protein-starch composition containing about 10% to about 20% of the composition, where the starch in the protein-starch composition is a corn starch, may have a Brookfield viscosity of about 500 centipoise to about 11,000 centipoise at about 25°C, and about 80 centipoise to about 6000 centipoise at about 60°C. An aqueous slurry of a protein-starch composition containing about 10% to about 20% of the composition, where the starch in the protein-starch composition is a wheat starch, may have a Brookfield viscosity of about 200 centipoise to about 4000 centipoise at about 25°C, and about 50 centipoise to about 700 centipoise at about 60°C.

[0056] A meat emulsion formed of the protein-starch composition and a meat material also has a relatively high gel strength upon being cooked, which provides the cooked meat emulsion with a desirable firm texture.

[0057] The present invention is illustrated in more detail by the following examples using a soy protein isolate as the protein material. The examples are intended to be illustrative, and should not be interpreted as limiting or otherwise restricting in scope of the invention in any way.

EXAMPLE 1

[0058] A protein-starch composition is formed according to the process of the present invention with a corn starch. 60 lbs of soy protein isolate "SUPRO 500E" from Protein Technologies International, Inc. is slurried in 333 pounds of 70°F water to form a protein material slurry having a total solids content of 14.5%. 196 lbs of the slurry are treated at 285°F±5°F for 9 seconds ± 1 second under pressure to denature the protein, and then the slurry is flash cooled by being ejected into a vacuumised chamber having a vacuum of about 25 Hg.

[0059] A starch slurry is formed by adding 20 lbs of dent corn starch, type IV, pearl from A. E. Staley Mfg. Co. to 31 lbs of cold water. The slurry is agitated in an agitating tank until the slurry becomes homogenous.

[0060] About 40 lbs of the denatured protein slurry and about 13 lbs of the corn starch slurry are mixed together until the protein and starch slurries are homogenised. The protein-starch slurry is spray dried in a co-current type spray dryer at an atomisation pressure of 3500 psig through a 30SDX nozzle, a feed temperature of 130°F maximum, and an exhaust air temperature of 200°F maximum. A spray dried protein-starch composition formed according to the process of the present invention having a protein:starch ratio of about 55:45 is collected from the spray dryer.

EXAMPLE 2

[0061] A frankfurter meat emulsion containing a protein-starch composition formed according to the present invention is produced. A protein-starch composition is formed in a manner similar to the protein-starch composition of Example 1, but having a protein:starch ratio of about 52:48. Beef trimmings, pork backfat, pork trimmings, water, modified food starch, a small amount of oils, seasonings, and preservatives, and the protein-starch composition are introduced into a chopper bowl. The components are present in the following percentages, by weight: protein-starch composition 2%, beef trimmings 22.9%, pork trimmings 21%, pork backfat 5%, water 36.4%, modified food starch 7%, oils and seasonings 5.7%. The mixture is chopped in the chopper bowl to sufficiently form a meat emulsion. The meat emulsion is stuffed into casings suitable for forming frankfurters, and the stuffed casings are cooked to prepare the frankfurters.

EXAMPLE 3

[0062] A protein-starch composition is formed according to the present invention with a wheat starch. 88 lbs of soy protein isolate "SUPRO 500E" from Protein Technologies International, Inc. is slurried in 488 lbs of 70°F water to form a protein material slurry having a total solids content of about 14.5%. The slurry is treated at 305°F±5°F for 9 seconds ± 1 second and under pressure to denature the protein, and then the slurry is flash cooled by being ejected into a vacuumised chamber having a vacuum of about 25 Hg.

[0063] A wheat starch slurry is formed by adding 59 lbs of wheat starch to cold water to form a starch slurry of about 32% total solids. The starch slurry is mixed until it becomes homogenous.

[0064] About 44 lbs of the denatured protein slurry is added to the starch slurry and the combined slurry is mixed until the protein and the starch are homogeneously mixed in the slurry. The protein-starch slurry is spray-dried in a co-current type spray dryer at an atomisation pressure of 3500 psig through a 30SDX nozzle, at a feed temperature of 130°F maximum, and at an exhaust temperature of 200°F maximum. A spray-dried protein-starch composition formed according to the present invention is collected from the spray-dryer.

EXAMPLE 4

[0065] The viscosity of the protein-starch compositions formed in Example 1 and Example 3 is measured. The viscosity of each composition is measured at 10%, 12.5%, 15%, and 20% aqueous slurries of the composition at 25°C and at 60°C using a Brookfield LVT viscometer. The results are set forth in Table 1.

TABLE 1

Viscosity (cps)				
Sample	10% slurry	12.5% slurry	15% slurry	20% slurry
Protein-corn starch 25°C	547	877	2517	10716
Protein-corn starch 60°C	80	218	522	5733
Protein-wheat starch 25°C	204	498	450	3716
Protein-wheat starch 60°C	53	123	230	670

EXAMPLE 5

[0066] The gel strength of the prot in-starch compositions formed in Example 1 and Examp 3 is measured. Each composition is mixed with water at a ratio of 1 part of the composition to 6 parts of water, by weight, to a total weight of 2700 grams. The gel strength of each composition having added salt, and having no salt added is measured upon being cooked under pasteurising conditions and under retort conditions. The measured gel strengths are set forth in Table 2.

TABLE 2

Gel Strength (g)				
Sample	Pasteurised, no salt	Pasteurised, salt	Retorted, no salt	Retorted, salt
Protein-corn starch	877	1021	289	976
Protein-wheat starch	715	1191	465	1276

EXAMPLE 6

[0067] A comparison is made of the viscosity and gel strength of protein-starch compositions having different protein: starch ratios, where the protein-starch compositions are formed according to the present invention.

[0068] An aqueous slurry of soy protein isolate is formed by adding 132 lbs. of "Supro 500E" soy protein isolate from Protein Technologies International, Inc. to 704 lbs. of water, the water having a temperature of about 85°F. The protein slurry is mixed thoroughly for 45 minutes and then is treated at a temperature of about 305°F for about 9 seconds under pressure to denature the protein. The slurry is flash cooled to a temperature of about 130°F by ejecting the slurry into a vacuumised chamber having a pressure of about 26 mm Hg.

[0069] To compare the effect of varying protein:starch ratios on viscosity and gel strength of protein-starch compositions formed according to the present invention, the cooked protein slurry is divided into three parts ("I", "II", "III") where protein-starch compositions of decreasing protein:starch ratios of 75:25, 70:30, and 42:58 are formed from parts I-III of the protein slurry, respectively.

[0070] Part I is formed by separating 150 lbs of the protein slurry, adding 7.2 lbs of corn dent starch, and mixing the resulting protein-starch slurry for 20 minutes. Part II is formed by separating 125 lbs of the protein slurry, adding a slurry of corn dent starch formed of 12.6 lbs of corn dent starch and 26 lbs of water to the protein slurry, and mixing the resulting protein-starch slurry for 20 minutes. Part III is formed by separating about 100 lbs of the protein slurry, adding a slurry of corn dent starch formed of 19.4 lbs of the starch and 60 lbs of water to the protein slurry, and mixing the resulting protein-starch slurry for about 20 minutes.

[0071] Slurries I-III are then separately spray dried in a co-current type spray dryer. Each slurry is fed through an atomising nozzle at a pressure of about 3500 psig and is atomised into the spray dryer. The drying air blown through the air inlet of the spray dryer is set to a temperature of about 550°F, which is sufficient to cause the protein and starch in slurries I-III to interact to form protein-starch compositions I-III without causing substantial gelatinisation of the starch. Each of the slurries I-III is dried in the spray dryer to a moisture content of about 5%. About 5 lbs to about 10 lbs of spray-dried material is recovered from each slurry.

[0072] The viscosity and gel strength characteristics are determined for the protein-starch compositions I-III. To determine the viscosity of the protein compositions I-III, a 10% aqueous solution is formed of each, and viscosity of each is measured using a Brookfield viscometer at about 25°C.

[0073] The results of the viscosity and gel strength measurements for the protein compositions I-III are set forth in Table 3 below.

TABLE 3

Assay	Sample I 75:25 prot/ starch	Sample II 70:30 prot/ starch	Sample III 42:58 prot/ starch
Viscosity (centipoise)	900	580	160
Instron gel strength-past. no salt (grams)	640	760	880
Instron gel strength-past. salt (grams)	880	930	1960

EXAMPLE 7

[0074] A comparison is made of the relative viscosities of a protein-corn starch composition made according to the present invention and a protein-corn starch composition containing substantially gelatinised starch. A non-gelatinised protein-starch composition made according to the present invention is formed as described above in Example 1. Another protein-starch composition is formed in a substantially similar manner, except that the starch slurry is mixed with the protein material slurry before treating the protein material slurry at $285^{\circ}\text{F} \pm 5^{\circ}\text{F}$ for 9 seconds \pm 1 second under pressure so the starch will gelatinise and form a complex with the protein during heating.

[0075] 10%, 12.5%, and 15% aqueous solutions are formed of the non-gelatinised protein-starch composition and the gelatinised protein-starch composition. The Brookfield viscosity of each solution is determined at 25°C and 60°C . The results are set forth in Table 4.

TABLE 4

Viscosity (cps)			
Sample	10% solution	12.5% solution	15% solution
Non-gelatinised (25°C)	547	877	2517
Gelatinised (25°C)	650	2175	10100
Non-gelatinised (60°C)	80	218	522
Gelatinised (60°C)	1900	6350	17700

[0076] The protein-starch composition of the present invention is substantially less viscous than a gelatinised protein-starch complex. The less viscous protein-starch composition is more easily handled in processing than the viscous gelatinised material.

EXAMPLE 8

[0077] A comparison is made of the relative gel strengths of a protein-wheat starch composition made according to the present invention and a dry-blend of a protein-wheat starch. A protein-starch composition made according to the present invention is formed as described above in Example 3 (Protein-Starch Composition), where the resulting product contains 56% protein, by weight, on a dry basis. A dry-blend of soy protein isolate and wheat starch is made by dry-blending soy protein isolate and wheat starch (Dry Blend), where the resulting product contains 57.6% protein, by weight, on dry basis. The gel strength of the Protein-Starch Composition and the Dry Blend are measured. The results are set forth in Table 5.

TABLE 5

Gel Strength (g)				
Sample	Pasteurised, no salt	Pasteurised, Salt	Retorted, no salt	Retorted, salt
Protein-Starch	715	1192	465	1276
Dry Blend	403	965	0-(not measurable)	838

[0078] The protein-starch composition of the present invention has higher gel strength than a dry blend of a protein material and a starch after cooking for all measured types of cooking. The protein-starch material, therefore, can provide a more firm texture to a meat emulsion upon cooking than a dry blend of protein and starch.

EXAMPLE 9

[0079] A comparison is made of the viscosity and gel strength of a soy protein isolate, a co-dried wheat flour and soy protein composition, and a co-dried wheat starch and soy protein material formed according to the present invention.

[0080] 84 lbs. of soy protein isolate "SUPRO 500E" from Protein Technologies International, Inc. is slurried in 492 lbs. of 70°F water to form a protein material slurry having a total solids content of about 14.4%. The slurry is treated at 287°F for 9 seconds under pressure to denature the protein, and then the slurry is flash cooled by being ejected into a vacuumised chamber having a vacuum of about 26 Hg.

[0081] An aqueous wheat starch slurry containing 30.7% wheat starch is formed by adding 13.5 lbs of wheat starch to 44 lbs. of water and thoroughly mixing the wheat starch in the water. A separate aqueous wheat flour slurry containing 31.9% wheat flour is also formed by adding 14.4 lbs. of wheat flour to 45.1 lbs. of water and mixing thoroughly.

[0082] The denatured soy protein slurry is divided into three portions, one of which is mixed with the aqueous wheat starch slurry, another of which is mixed with the aqueous wheat flour slurry, and the last of which is maintained with just the denatured soy protein isolate therein. 140 lbs. of the denatured soy protein isolate slurry containing 21 lbs. of soy protein isolate solids is mixed with the wheat starch slurry, and 126 lbs of the denatured soy protein isolate slurry containing 19 lbs. of soy protein isolate solids is mixed with the wheat flour slurry.

[0083] The wheat starch/soy protein isolate slurry, the wheat flour/soy protein isolate slurry, and the remaining denatured soy protein isolate slurry are then spray dried in a co-current type spray drier. Each slurry is spray dried at an atomisation pressure of 3500 psig at feed temperatures from 114°F to 125°F, at inlet temperatures from 503°F to 511°F, and at a maximum exhaust temperature of 200°F. Thirty lbs. of the co-dried wheat starch/protein material is collected, 27 lbs. of the co-dried wheat flour/protein material is collected, and 7.5 lbs. of the spray dried soy protein isolate is collected.

[0084] The viscosity of the wheat starch/protein material, the wheat flour/protein material, and the soy protein isolate samples are compared at 25°C and 60°C with 10%, 12.5%, 15% and 20% aqueous slurries of the respective samples using a Brookfield LVT viscometer. The results are set forth in Table 6.

TABLE 6

Viscosity (cps)			
Sample	Wheat starch/protein	Wheat flour/protein	Protein only
25°C			
10% slurry	204	400	1450
12.5% slurry	498	843	6350
15% slurry	451	1803	13100
20% slurry	3717	5300	50000
60°C			
10% slurry	53	40	553
12.5% slurry	123	87	1933
15% slurry	230	431	27000
20% slurry	670	7266	50000

[0085] As can be seen by comparing the viscosities of the samples, the co-dried wheat starch/protein material provides consistently low viscosity, and is less viscous than the co-dried wheat flour/protein material, particularly in higher solids slurries. Both the co-dried wheat starch/protein and co-dried wheat flour/protein materials are considerably less viscous than slurries of the spray dried protein material.

[0086] The gel strengths of the co-dried wheat starch/protein material, the co-dried wheat flour/protein material, and the dried protein material samples are also compared. Each sample is mixed with water at a ratio of 1 part of the sample material to 6 parts of water, by weight, to a total of 2700 grams. The gel strength of each sample having added salt, and having no salt added is measured upon being cooked under pasteurising conditions and under retort conditions. The measured gel strengths are set forth in Table 7.

TABLE 7

Gel Strength (g)			
Sample	Wheat starch/protein	Wheat flour/protein	Protein only
Pasteurised			
Salt Added	1192	772	972
No Salt	715	442	567
Retorted			
Salt Added	1277	829	1055
No Salt	465	454	460

[0087] As can be seen by comparing the gel strengths of the samples, the co-dried wheat starch/protein material provides better gel strength upon cooking under all conditions than the co-dried wheat flour/protein material and the spray dried protein material. The gel strength provided by the co-dried wheat starch/protein material is significantly greater than the gel strength of the other samples under most of the cooking conditions.

5 [0088] In the above Examples, the viscosity of each of the above protein-starch compositions is measured using a Brookfield LVT viscometer (available from Brookfield Engineering Laboratories Inc., Stoughton, Mass).

[0089] Gel strengths in the Examples above are measured in the following manner. A gel is initially formed of a composition by mixing the dry composition with water in a 1:6 ratio, preferably to a total weight of 2700 grams, then thoroughly chopping the resulting mixture for about 10 minutes in a chopper bowl, preferably a Hobart Food Cutter
10 Model No. 84142 with 1725 rpm shaft speed. Salt may be added to the gel after about 5 minutes of chopping, if the gel strength to be measured is the gel strength with salt added. About 28 grams of salt are added per 1400 grams of gel. The gel is then placed in a can, preferably a 3-piece 307mm x 113mm aluminium can, packed into the can, and the can is sealed.

[0090] The resulting canned gel is cooked by being pasteurised or retorted. To pasteurise a gel, the can of gel is
15 placed in boiling water for about 30 minutes. The can is then removed and cooled for 30 minutes under cold tap water, and then is refrigerated for 16 to 24 hours. To retort a gel, a can of gel is placed in a retort chamber capable of providing temperatures of 230°F. The can of gel is retorted at 230°F for about 70 minutes, then is removed and cooled under cold tap water for about 30 minutes, followed by refrigeration for about 16 to 24 hours.

[0091] After refrigeration a can of pasteurised or retorted gel is placed in a 25°C-30°C water bath for about 2-3 hours
20 to achieve thermal equilibrium. The gel is prepared for gel strength measurement by removing the gel from the can, leaving the gel sitting on the bottom lid of the can.

[0092] Gel strength is measured with an Instron Universal Testing Instrument, Model No. 1122 with a 36 mm probe. The probe is driven into each gel until the gel breaks, which is marked by a peak on a recorder. The amount of force required to break the gel is determined from the distance the probe is driven into the gel prior to the gel breaking. The
25 gel strength is determined from the force required to break the gel according to the following formula: Gel Strength (grams) = $(F/100)(G)(454)$, where F = point of gel fracture in chart units; 100 = total number of chart units; G = full scale load in pounds at a full scale load dial reading of "x 10"; and 454 = number of grams per pound. The point of gel fracture in chart units (F) is determined by drawing a tangent to the upper portion of the peak on the chart, and parallel to the slope.

30

Claims

1. A protein-starch composition capable of forming a firm gel upon cooking, comprising, a denatured protein material
35 and a starch material, where said protein material and said starch material are complexed and said starch material is in a substantially non-gelatinised state.
2. A composition according to Claim 1, wherein at least some of said starch material is partially encapsulated in said protein material.
- 40 3. A composition according to Claim 2, wherein at least a majority of said starch material is encapsulated in said protein material.
- 45 4. A composition according to Claim 3, wherein substantially all of said starch material is encapsulated in said protein material.
5. A composition according to any one of the preceding Claims, additionally comprising at least one of guar gum, trisodium phosphate, sodium tripolyphosphate, and sodium acid pyrophosphate.
- 50 6. A composition according to any one of the preceding Claims, wherein said protein material is present in said composition in a ratio of protein material to said starch material of about 45:65 to about 80:20 by dry weight.
7. A composition according to Claim 6, wherein said protein material is present in said composition in a ratio of protein material to said starch material of about 50:50 to about 70:30 by dry weight.
- 55 8. A composition according to any one of the preceding Claims, wherein said starch is at least one of corn starch, potato starch, wheat starch, rice starch, arrowroot, tapioca starch, and mixtures thereof.

9. A composition according to Claim 8, wherein said starch is a corn starch.
10. A composition according to Claim 8, wherein said starch is a wheat starch.
- 5 11. A composition according to any one of the preceding Claims, wherein said protein material is not excessively soluble in water at neutral pH conditions.
12. A composition according to Claim 11, wherein proteins in said protein material have an average associated molecular weight greater than 30,000 daltons.
- 10 13. A composition according to Claim 12, wherein proteins in said protein material have an average associated molecular weight greater than 100,000 daltons.
14. A composition according to Claim 13, wherein proteins in said protein material have an average associated molecular weight between about 100,000 and about 360,000 daltons.
- 15 15. A composition according to any one of the preceding Claims, wherein said protein material is at least one of an animal protein, a vegetable protein, and mixtures thereof.
- 20 16. A composition according to Claim 15, wherein said protein material is casein.
17. A composition according to Claim 15, wherein said protein material is a vegetable protein material derived from one or more of peas, wheat, or rapeseed.
- 25 18. A composition according to Claim 15, wherein said protein material is a soy protein material.
19. A composition according to Claim 18, wherein said soy protein material is at least one of a soy protein isolate, a soy protein concentrate, or a soy flour.
- 30 20. A composition according to any one of the preceding Claims, which, as an aqueous solution containing 15% of the composition by weight has a Brookfield viscosity no greater than 5000 cps at 25°C.
21. A composition according to Claim 20, wherein said aqueous solution has a Brookfield viscosity of from 300 to 5000 cps at 25°C.
- 35 22. A meat emulsion, comprising: a protein-starch composition according to any one of the preceding Claims; and a meat material which is blended with said protein-starch composition.
23. A meat emulsion according to Claim 22, wherein said meat material is at least one of mechanically deboned chicken, mechanically deboned beef, mechanically deboned pork, pork trimmings, beef trimmings, and pork back-fat.
- 40 24. A meat emulsion according to Claim 22 or Claim 23, wherein said protein-starch composition comprises about 2% to about 7% of said meat emulsion by weight.
- 45 25. A meat emulsion according to any one of Claims 22 to 24, wherein said protein-starch composition provides about 10% to about 20% of the total protein in said meat emulsion.
- 50 26. A meat emulsion according to any one of Claims 22 to 25, wherein said meat material comprises about 40% to about 60% of said meat emulsion by weight.
27. A process for forming a protein-starch composition according to any one of Claims 1 to 21, comprising:
 - forming an aqueous slurry of a protein material;
 - 55 treating said slurry at a temperature and for a time effective to denature said protein material;
 - adding a non-gelatinised starch material to said slurry of denatured protein material at a slurry temperature

below the gelatinisation temperature of said starch material; and

spray-drying said slurry of denatured protein material and said starch material under conditions sufficient to substantially complex said protein material and said starch material yet insufficient to substantially gelatinise the starch material.

28. A process according to Claim 27, wherein said slurry of protein material is formed to contain about 2% to about 30% by weight of said protein material.

29. A process according to Claim 27 or Claim 28, wherein said slurry is treated at a temperature of about 85°C to about 155°C for a period of about 5 seconds to about 15 seconds to denature said protein material.

30. A process according to Claim 27 or Claim 28, wherein said slurry is treated at a temperature of at least about 121°C for a period of at least 5 seconds to denature said protein material.

31. A process according to Claim 27, wherein said non-gelatinised starch material added to said slurry of denatured protein material is an aqueous slurry of a non-gelatinised starch containing about 20% to about 40% by weight of said non-gelatinised starch material.

32. A process for forming a low viscosity meat emulsion which attains a high gel strength and emulsion stability upon cooking, comprising:

providing a protein-starch composition according to any one of Claims 1 to 21, containing a starch material complexed with a protein material with said starch material being substantially in its native non-gelatinised conformation;

forming an aqueous mixture containing said protein-starch composition and a meat material; and

blending said mixture of said protein-starch composition and meat material under

conditions insufficient to gelatinise said starch material in said protein-starch composition to form a meat emulsion.

33. A process according to Claim 32, wherein said aqueous mixture of said protein-starch composition and meat material contains about 2% to about 7% by weight of said protein-starch composition.

34. A process according to Claim 32, wherein said meat material is a ground meat or a cured meat.

35. A process according to Claim 32, further comprising stuffing a casing with said meat emulsion.




FIG.1



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 00 30 3242

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 442 361 A (FRISCO FINDUS AG) 21 August 1991 (1991-08-21) * the whole document *	1-4, 8-10, 15, 22, 23	A23L1/0522 A23J3/10 A23J3/16 A23J3/14 A23J3/18
X	KODET J. ; ZELENKA S.: "Starch as stabilizing colloid in milk coagulates" SCIENTIFIC PAPERS OF THE INSTITUTE OF CHEMICAL TECHNOLOGY, vol. 40, 1973, pages 5-20, XP000946173 Prague ca1975:407400 * the whole document *	1-4, 8-10, 15	A23L1/317 A23L1/314
A	US 4 071 635 A (LINDL WILLIBALD M ET AL) 31 January 1978 (1978-01-31) * claims; examples *	1, 22, 27, 32	
A	US 4 338 340 A (MORIMOTO KEISUKE ET AL) 6 July 1982 (1982-07-06) * abstract; claims *	1-35	
A	US 5 922 379 A (WANG SHU HUAN) 13 July 1999 (1999-07-13) * the whole document *	1-21, 27-31	A23L A23J A23P
A	US 4 981 706 A (KIM JONG C) 1 January 1991 (1991-01-01) * abstract; claims; examples *	1-35	
D, A	US 4 159 982 A (HERMANSSON ANNE-MARIE I) 3 July 1979 (1979-07-03) * claims; examples *	1-35	
-/-			
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 18 September 2000	Examiner Boddaert, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons A : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03 82 (P04C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 00 30 3242

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
D,A	<p>DATABASE FSTA 'Online! INTERNATIONAL FOOD INFORMATION SERVICE (IFIS), FRANKFURT/MAIN, DE; ROGOV I A ET AL: "Hygroscopic properties of meat and meat products." Database accession no. 79-1-10-s1505 XP002147608 * abstract *</p>	1-35	
A	<p>PATENT ABSTRACTS OF JAPAN vol. 006, no. 073 (C-101), 8 May 1982 (1982-05-08) & JP 57 012001 A (AJINOMOTO CO INC), 21 January 1982 (1982-01-21) * abstract *</p>	27	
A	<p>US 5 540 944 A (REUTIMANN ERNEST) 30 July 1996 (1996-07-30)</p>		
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 18 September 2000	Examiner Boddaert, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons A : member of the same patent family, corresponding document</p>			

EPO FORM 1500 (03.02) (P/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 30 3242

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-09-2000

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0442361	A	21-08-1991	AU 640444 B	26-08-1993
			AU 6981691 A	15-08-1991
			CA 2035547 A	10-08-1991
			DE 69106733 D	02-03-1995
			DE 69106733 T	08-06-1995
			DK 442361 T	22-05-1995
			ES 2067058 A	16-03-1995
			FI 910361 A	10-08-1991
			JP 2804852 B	30-09-1998
			JP 4211343 A	03-08-1992
			NO 301514 B	10-11-1997
			NZ 236917 A	26-10-1993
			PT 96692 A, B	29-11-1991
			US 5232723 A	03-08-1993
			ZA 9100501 A	27-11-1991
US 4071635	A	31-01-1978	CA 1083403 A	12-08-1980
US 4338340	A	06-07-1982	CA 1177312 A	06-11-1984
			JP 1603661 C	22-04-1991
			JP 2026950 B	13-06-1990
			JP 57058858 A	08-04-1982
US 5922379	A	13-07-1999	AU 3642699 A	23-11-1999
			WO 9956556 A	11-11-1999
US 4981706	A	01-01-1991	NL 8503271 A	16-06-1987
			AT 45664 T	15-09-1989
			DE 3665125 D	28-09-1989
			EP 0224958 A	10-06-1987
			GR 3000136 T	29-11-1990
			JP 62155054 A	10-07-1987
US 4159982	A	03-07-1979	NONE	
JP 57012001	A	21-01-1982	NONE	
US 5540944	A	30-07-1996	US 5702741 A	30-12-1997

EPO FORM P/0408

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

